REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

I LEAGE DO NOT	KETOKIN TOOK TOK	IN TO THE ABOVE	L ADDICESS.			
1. REPORT DA	TE (DD-MM-YYYY	2. REPOR	Т ТҮРЕ			3. DATES COVERED (From - To)
1917						
4. TITLE AND S	SUBTITLE	1			5a. C	ONTRACT NUMBER
Report on Tox	xicity Tests on I	Mice - Report	: 33			
'	•	•			5h G	RANT NUMBER
					05. 0	MAN NOMBER
					5c. P	ROGRAM ELEMENT NUMBER
6. AUTHOR(S)					5d. P	ROJECT NUMBER
A. G. Kolls, H	. A. Kuhn, A. J.	Todd				
					5e. T.	ASK NUMBER
					551 11	
					5f. W	ORK UNIT NUMBER
7. PERFORMIN	IG ORGANIZATIO	N NAME(S) ANI	D ADDRESS(ES)			8. PERFORMING ORGANIZATION
Research Div	rision, Americar	n University E	xperiment Station,	Washington, I	DC	REPORT NUMBER
						33
			(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)
Chemical Wa	rfare Service, V	Vashington, [OC .			
						11. SPONSOR/MONITOR'S REPORT NUMBER(S)
						NOWIDER(O)
12 DISTRIBUT	ION/AVAILABILIT	V STATEMENT				
		_				
Approved for	Public Release	, distribution	is uriiiriilea.			
42 CUDDI EME	NTARY NOTES					
13. SUPPLEME	NIART NOIES					
14. ABSTRACT						
45 0110 1507 7						
15. SUBJECT T	ERMS					
16. SECURITY	CLASSIFICATION	I OF:	17. LIMITATION OF	18. NUMBER	19a. NAME	OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE	ABCTDACT	OF		
U	U	U	UU	PAGES	401 ==: =:	
'				6	19b. TELE	PHONE NUMBER (Include area code)
				ا ن		



DEPARTMENT OF THE ARMY

US ARMY RESEARCH, DEVELOPMENT AND ENGINEERING COMMAND OD CHEMICAL BIOLOGICAL CENTER 5183 BLACKHAWK ROAD

ABERDEEN PROVING GROUND, MD 21010-5424

RDCB-DPS-RS

My an root

AUG 2 7 2014

MEMORANDUM THRU Director, Edgewood Chemical Biological Center, (RDCB-D/Mr. Joseph Wienand), 5183 Blackhawk Road, Aberdeen Proving Ground, Maryland 21010-5424

FOR Defense Technical Information Center, 8725 John J. Kingman Road, Ft Belvoir, VA 22060

SUBJECT: Internal Request for Change in Distribution

- 1. This action is in response to an Edgewood Chemical Biological Center (ECBC) Internal Request for a Change in Distribution on documents related to cyanogen chloride.
- 2. The listed documents in the attachment have been reviewed by ECBC Subject Matter Experts and deemed suitable for the change in distribution to read "Approved for Public Release; distribution unlimited."
- 3. The point of contact is Adana L. Eilo, ECBC Security Specialist, (410) 436-2063, adana.l.eilo.civ@mail.mil.

Encl

Security Manager

Cyanogen Chloride References

- [1] Armstrong, GC, *Toxicity of Cyanogen Chloride to White Mice by Inhalation,* War Department, Chemical Warfare Service, Edgewood Arsenal, MD, 03 March 1933. Unclassified, Dist. D. DoD/Contractors. AD# B956466.
- [2] Fuhr, I., Krackow, E.H., *Cyanogen Chloride LC 50 for Rats: 2 min. Exposure,* **TRLR-27,** . Edgewood Arsenal, Aberdeen Proving Ground, MD, 12 April 1944, Unclassified, Dist. D, DoD/Contractors. AD# B967754
- [3] E.H. Krackow, Fuhr, I., *Cyanogen Chloride LC 50 for Rabbits: 2 min. Exposure*, **TRLR-33**, Edgewood Arsenal, MD, 31 May 1944, Unclassified, Dist. D, DoD/Contractors. AD# B967782.
- [4] Bass, A.D., Tucker, V.J., *Cyanogen Chloride, Informal Progress Report No. 37*, **CB-186516**, National Defense Research Committee of the Office of Scientific Research and Development, Washington, DC, 22 June 1943, Unclassified, Dist. E, DoD Only.
- [5] Kolls, AC, Kuhn, HA, and Todd, AJ, *Report on Toxicity Tests on Mice*, **Report No. 33** in Marshall, EK ed., **Pharmacological and Research Section Monographs**. War Department Chemical Warfare Service, Research Division, American University Experiment Station, Washington, DC, c. 1917. On file with the Historical Research and Response Team, Research, Development and Engineering Command, Aberdeen Proving Ground, MD. Unclassified, Dist. E, DoD Only.
- [6] Franklin, R.C., Wilding, J.L., Stone, W., Franklin, R.T., *A Study of Short Interval Exposures of Goats to Cg, Ck, and Ac*, **CB-004057**, Dugway Proving Ground, UT, 28 November 1945, Unclassified, Dist. B, U.S. Gov't Agencies Only.
- [7] Kolls, AC, Kuhn, HA, and Todd, AJ, Report on Toxicity Tests on Mice, Report No. 41 in Marshall, EK ed., Pharmacological and Research Section Monographs. War Department Chemical Warfare Service, Research Division, American University Experiment Station, Washington, DC, c. 1917. On file with the Historical Research and Response Team, Research, Development and Engineering Command, Aberdeen Proving Ground, MD. Unclassified, Dist. E, DoD Only.

Certain Contract Cont

WAR DEPARTMENT
CHEMICAL WARFARE SERVICE

RESEARCH DIVISION

AMERICAN UNIVERSITY EXPERIMENT STATION

WASHINGTON, D. C.

MAJOR GENERAL W.L. SIBERT, DIRECTOR

Historical Office
Kolls AG; Kuhn HA; Todd AJ
Report on Toxicity Tests on Mice
Report 33

PHARMACOLOGICAL AND RESEARCH SECTION

E. K. MARSHALL, IN CHARGE

REPORTS 1 to 50

NO. 33.

REPORT ON TOXICITY TESTS ON MICE

BY

A. C. KOLLS, H. A. KUHN, AND A. J. TODD

REPORT OF TOXICITY TESTS ON MICE.

BY

A.C. KOLIS, H.A. KUHN, AND A.J. TODD.

G	-76 Dig	henryl chl	oransinl	Volatility	7 3
Cone. in Mgm. per liter		No. Mice died in 48 hrs.	Per cent	Delayed deaths	Per cent died
2.5 1.0 0.5 1.0 0.3 0.15*	କାରରରରର	0 0 2 1 2	0 0 0 100 50 100	0 0 0 0 0	0 0 0

Toxic concentration is under 0.15 mgm. per liter.

S YMPTOMS:

Slight nasal and marked lachrymal irritation is shown. Dysphoea occurs in a few minutes. Later about every tenth breath is a gasp.

N.B. The great discrepancy in the summaries above is undoubtedly due to a volatile impurity which was given off in the earlier experiments, resulting in a marked loss of weight of material. Since the loss of weight during the experiment is our method of calculating the concentration, the results are very misleading.

* Lack of material prevented further experiments.

un est site,					(III). 1000. 1000-1000-1000-1000-1000-
S	-28 Tilan	um tetrac	bloride	Volatility	20
Conc. in Mgm. per liter	No. mice exposed	H . mice died in 48 hrs.	Per cent	Delayed deaths	Per cent
2.3 2.0 1.1 0.6 0.5 0.3	2 4 8 4	2 2 0 2 0	100 100 25		
		(166)			

Toxic concentration lies between 1.0 and 2.0 mgms. per liter, probably about 1.5 mgms. per liter.

SYMPTOMS:

Eyes are closed tightly, and a lachrymal discharge occurs. Eyelids are soon sealed by the Hydrolysis of the gas in contact with the moisture around the lids. Nose is rubbed continually, and in some cases nostrils seem partially clogged by the exidation of the gas. Noses are cyanetic in appearance. There is a frothy secretion from the mouth after six or eight minutes of exposure. The respiration, rapid and shallow with occasional gasping, soon becomes deep and labored with continuous gasping. There is great depression, and mice are comatose for some time after gassing. Death occurs within twenty-four hours after gassing.

I	richloracety	l flouride	Volatility 200		
Conc. i Mgm. pe liter			Per cent died	Delayed deaths	Per cent died
20.0	2	2 .	100	•	•
4.0	4	3	75	page State	
2.0	4	2	50	420	
1.5	2	0	•		***
1.0	2	0			waye allege
0.3	2	0		-1	50

Toxic concentration is 2 mgms. per liter.

SYMPTOMS:

The first symptom was a lachrymal discharge. The eyes were tightly closed almost immediately, but in one case were only partially closed with the result that the cornea became white. Nose was rubbed vigorously and a nasal discharge also occurred. Breathing was rapid and shallow with occasional gasping. Depression was very marked and mice became very weak. This depression and weakness continued for some time after exposure.

Death usually occurred within 24 hours after exposure.

0 G-178 Gyanogen chloride Volatility 340

Cone. in Mgm. per liter	No. mice exposed	No. mice died in 48 hrs.	Per cent	Delayed deaths	Per cent
0.6	2	2	100		-
0.4	2	2	100		
0.3	2	0		1	50
0.04	2	0	-		-

Toxic concentration is 0.4 mgms. per liter.

SYMPTOMS:

Mice rub their noses occasionally but do not show signs of very marked nasal irritation. Their eyes, however, are tightly closed and a lachrymal discharge occurs. The respiration becomes slow and labored. Mice become depressed and are soon prostrated. Inspiration becomes convulsive in character. The eyes are now open and protruding. Death is preceded by a convulsion and usually occurs during the exposure.

G-166 Trichloracetonitule Volatility 127

Conc. in Mgm. per liter	No. mice exposed	No. mice died in 48 hrs.	Per cent	Delayed deaths	Per cent
7.5	2	2	. 100		
6.0	4	4	100		•
3.5	4	. 4	100		•
3.0	2	2	100		
1.5	2.	2	100	•	
1.2	2	. 1	50	1	50
0.8	2	0	***	die en	40× 4mp

Toxic concentration is 1.2 mgms. per liter.

SYMPTOMS:

The eyes are closed tightly immediately and nose is rubbed vizorously. Both nasal and lachrymal discharges occur. Breathing is short and rapid soon becoming convulsive. Trembling is noted and soon becomes convulsive jerking. These tremors gradually cease and mice become depressed. Depression continues to death which usually occurs within an hour after exposure.

G-169 Bergoyl fluorede Volatility 4

Conc. in	No. mice exposed	No. mice died in 48 hrs.	Per cent åled	Delayed deaths	Per cent diod
<u>liter</u>	**************************************	TO ILL VI			***************************************
4.0	2	2	100		٠
5. 5	2	0	0	1	50
3.0	4	2	50	1	25
2.6	2	2	100		
2.4	4	1	25	1	25
0.5	4			•	
0.2	2				

Toxic concentration is 2. 6 mgms. per liter.

SYMPTOMS:

し金襴

. P.

Eyes were closed very quickly and a lachrymal discharge occurred. Mice rubbed their noses, indicating probable irritation as a nasal discharge also occurred. The respiration, short and rapid at first, gradually grows deep and labored, occasionally becoming a gasp. Death is preceded by a brief convulsion.

S-25 Stannic chloride Volatility 18

	No. mice 'exposed		Per cent died	Delayed deaths	Per cent
TY COT	A PARTY OF THE PAR		-		-
1.5	4	3	75		
1.2	2	2	100		
0.9	4	1	25		•
0.5	4	0	ion in	.•	
0.2	6	0	ins.***	•	

The eyes are closed at once. Often at the beginning of the test brief convulsions are noted. The mice rub their noses vigorously, breathing becomes deep and labored, and depression occurs. Death takes place within thirty-six hours.